

International guarantee	42
Special recommendations	47
Tolerances	48
Table of equivalents	50
Pictograms	52
Table of lunar months	53
Rubber strap	54
Deployment buckle	55
Certificate of authenticity	56
Water-resistance /	
Screw-in crown and push-pieces	57
Adjusting the time (General information) ..	58

Automatic watches

L607, L636	60
L602, L693	61
L635 – 24 Time zones	62
L704.2, L704.3	64
L633 – Diver Date	65
L614 / L699 – The Lindbergh Hour Angle Watch	66
L699 – The Longines Weems Second-Setting Watch	68
L600 – Phases of the Moon	69
L697, L698 – 3X/4X Retrograde	70
L707 – 4X Retrograde	71

Chronographs

General information	74
----------------------------------	----

Quartz chronographs

L538, L541	75
------------------	----

Automatic chronographs

L650, L651	77
L667, L674	78
L683, L688 – Column-Wheel	79
L688 – Vernier, L696	80
L705	81
L788 – Single Push-Piece Chronograph	81
L678 – Phases of the Moon	82



LONGINES is delighted that you should have chosen a model from our prestigious collection. The little technical marvel you now own will serve you faithfully for many years. The most advanced techniques were used during its manufacture, and it underwent stringent controls before it was released for sale.

Your LONGINES® watch is warranted by Longines Watch Co. Francillon Ltd* FOR A PERIOD OF TWENTY - FOUR (24) MONTHS FROM THE DATE OF PURCHASE under the terms and conditions of this warranty.

The international LONGINES warranty covers material and manufacturing defects existing at the time of delivery of the purchased LONGINES watch ("defects"). The warranty only comes into force if the warranty certificate is dated, fully and correctly completed and stamped by an official LONGINES dealer ("valid warranty certificate").

During the warranty period and by presenting the valid warranty certificate, you will have the right to have any defect repaired free of charge. In the event that repairs are improper to restore the normal conditions of use of your LONGINES watch, Longines Watch Co. Francillon Ltd guarantees its replacement by a LONGINES watch of identical or similar characteristics. The warranty for the replacement watch ends twenty-four (24) months after the date of purchase of the replaced watch.

This manufacturer's warranty does not cover:

- the life of the battery;
- normal wear and tear and aging (e.g. scratched crystal; alteration of the colour and/or material of non metallic straps and chains, such as leather, textile, rubber; peeling of the plating);
- any damage on any part of the watch resulting from abnormal / abusive use, lack of care, negligence, accidents (knocks, dents, crushing, broken crystal, etc.), incorrect use of the watch and non-observance of the use directions provided by Longines Watch Co. Francillon Ltd;
- the LONGINES watch handled by non-authorized persons (e.g. for battery replacement, services or repairs) or which has been altered in its original condition beyond Longines Watch Co. Francillon Ltd's control.

ALL APPLICABLE IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE GIVEN TO YOU BY LAW ARE HEREBY LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. UNDER NO CIRCUMSTANCES WILL LONGINES WATCH CO. FRANCILLON LTD BE LIABLE FOR ANY INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND.

Some states do not allow limitations on how long implied warranties last, or exclusions or limitations of incidental or consequential damages, so exclusions or limitations mentioned may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.

LONGINES WATCH CO. FRANCILLON LTD'S OBLIGATION IS STRICTLY LIMITED TO REPAIR OR REPLACEMENT AS EXPRESSLY STATED IN THIS LIMITED WARRANTY. YOUR OFFICIAL LONGINES DEALER CARRIES SOLE RESPONSIBILITY FOR ANY OTHER GUARANTEES.

The Longines Watch Co. Francillon Ltd's customer service ensures the perfect working order of your LONGINES watch. If your watch needs maintenance, rely on an official LONGINES dealer or an authorized LONGINES Service Center as set forth in the enclosed list: they can guarantee service according to Longines Watch Co. Francillon Ltd's standards.

* Longines Watch Co. Francillon Ltd,
CH-2610 Saint-Imier, Switzerland.

©2002 Longines Watch Co. Francillon Ltd.
All rights reserved.

NOTE: If you purchased your LONGINES® watch in Australia or New Zealand, the International LONGINES® Warranty contained in the booklet provided with this watch and on the LONGINES® website (www.longines.com) does NOT apply to you, and is replaced by this Australian/New Zealand Warranty (referred to below as the “Warranty”).

IMPORTANT NOTICE REGARDING YOUR CONSUMER RIGHTS

The benefits given to you under this Warranty are additional to, and do not detract from, other rights and remedies that you may have in relation to your LONGINES® watch and its purchase under Australian or New Zealand laws, including consumer protection laws.

In Australia, LONGINES® watches come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have your LONGINES® watch repaired or replaced if it fails to be of acceptable quality and the failure does not amount to a major failure.

In New Zealand, LONGINES® watches also come with guarantees that cannot be excluded under the New Zealand Consumer Guarantees Act.

This Warranty:

- Is not intended to change or exclude any statutory or consumer rights that cannot be lawfully changed or excluded;

- Is independent of any warranty that may be provided by the seller, for which he carries sole responsibility; and
- Does not affect your rights against the seller, including any mandatory statutory rights you may have against the seller under local consumer laws.

OUR WARRANTY TO YOU

This Warranty is provided by LONGINES WATCH CO. FRANCILLON LTD, CH-2610 Saint Imier, Switzerland. Telephone +41 329 42 52 66.

Your LONGINES® watch is covered by this Warranty for a period of twenty-four (24) months from the date of purchase under the terms and conditions of this Warranty.

This Warranty covers material and manufacturing defects existing at the time of delivery of the purchased LONGINES® watch (“defects”). Where such defects become apparent during the warranty period and provided you present a valid warranty certificate, LONGINES WATCH CO. FRANCILLON LTD will:

- Repair your watch free of charge; or
- In the event that repairs are unable to restore the normal conditions of use of your LONGINES® watch, replace your watch with a LONGINES® watch of identical or similar characteristics. Such replacement watch will have the benefit of this Warranty for the remainder of the Warranty Period applicable to the original (replaced) watch.

Please be aware that:

- Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods;
- Any data you store in your watch may be lost in the course of a repair. It is your responsibility to back up any data that may be stored in your watch before presenting it for warranty service; and
- The Warranty is only valid if the warranty certificate enclosed with your LONGINES® watch upon purchase is dated, fully and correctly completed and stamped by an official LONGINES® retailer.

EXCLUSIONS AND LIMITATIONS

This Warranty does not cover:

- The lifetime of the battery;
- Normal wear and tear and aging (e.g. scratched crystal; alteration of the colour and/or material of non-metallic straps and chains, such as leather, textile, rubber; peeling of the plating);
- Any damage on any part of the watch resulting from abnormal/abusive use, lack of care, negligence, accidents (knocks, dents, crushing, broken crystal, etc.), incorrect use of the watch and non-observance of the use directions provided by LONGINES WATCH CO. FRANCILLON LTD;
- Indirect or consequential damages of any kind resulting from e.g. the use, the non-functioning, the defects or the inaccuracy of the LONGINES® watch; or
- Defects caused by the LONGINES® watch being handled by non-authorized persons (e.g. for battery

replacement, services or repairs) or altered in its original condition beyond LONGINES WATCH CO. FRANCILLON LTD's control.

HOW TO MAKE A CLAIM UNDER THIS WARRANTY

To make a claim under this Warranty, we recommend that you wrap your LONGINES® watch carefully so as to avoid any damage and send it with valid warranty by registered mail or drop it off in person to your nearest official LONGINES® retailer or an authorised LONGINES® Service Centre. To find current contact information for your nearest official LONGINES® retailer or authorised LONGINES® Service Centre, please telephone +61 3 8844 3300, email customer.service@swatchgroup.com.au or go to www.longines.com.

You will be responsible for paying the expenses associated with making a claim under this Warranty, including postal or delivery expenses and any relevant taxes.

OTHER CONDITIONS

No official LONGINES® retailer or Service Centre is authorised to make any modification, extension or addition to this Warranty. LONGINES WATCH CO. FRANCILLON LTD provides no warranty against defects beyond the rights and remedies given under this Warranty and which are available under the Australian Consumer Law and the New Zealand Consumer Guarantees Act 1993.

LONGINES® is a registered trademark of LONGINES WATCH CO. FRANCILLON LTD

LONGINES is delighted that you should have chosen a model from our prestigious collection. The little technical marvel you now own will serve you faithfully for many years. The most advanced techniques were used during its manufacture, and it underwent stringent controls before it was released for sale.

Your LONGINES® watch is warranted by Longines Watch Co. Francillon Ltd* for a period of twenty-four (24) months from the date of purchase under the terms and conditions of this warranty.

The international LONGINES warranty covers material and manufacturing defects existing at the time of delivery of the purchased LONGINES watch ("defects"). The warranty only comes into force if the warranty certificate is dated, fully and correctly completed and stamped by an official LONGINES dealer ("valid warranty certificate").

During the warranty period and by presenting the valid warranty certificate, you will have the right to have any defect repaired free of charge. In the event that repairs are improper to restore the normal conditions of use of your LONGINES watch, Longines Watch Co. Francillon Ltd guarantees its replacement by a LONGINES watch of identical or similar characteristics. The warranty for the replacement watch ends twenty-four (24) months after the date of purchase of the replaced watch.

This manufacturer's warranty does not cover:

- the life of the battery;
- normal wear and tear and aging (e.g. scratched crystal; alteration of the colour and/or material of non metallic straps and chains, such as leather, textile, rubber; peeling of the plating);
- any damage on any part of the watch resulting from abnormal/abusive use, lack of care, negligence, accidents (knocks, dents, crushing, broken crystal, etc.), incorrect use of the watch and non-observance of the use directions provided by Longines Watch Co. Francillon Ltd;
- indirect or consequential damages of any kind resulting from e.g. the use, the non-functioning, the defects or the inaccuracy of the LONGINES watch;
- the LONGINES watch handled by non-authorised persons (e.g. for battery replacement, services or repairs) or which has been altered in its original condition beyond Longines Watch Co. Francillon Ltd's control.

Any further claim against Longines Watch Co. Francillon Ltd e.g. for damages additional to the above described warranty is expressly excluded, except mandatory statutory rights the purchaser may have against the manufacturer.

The above manufacturer's warranty is:

- independent of any warranty that may be provided by the seller, for which he carries sole responsibility;
- does not affect the purchaser's rights against the seller nor any other mandatory statutory rights the purchaser may have against the seller.

The Longines Watch Co. Francillon Ltd's customer service ensures the perfect maintenance of your LONGINES watch. If your watch needs attention, rely on an official LONGINES dealer or an authorised LONGINES Service Center as set forth in the enclosed list: they can guarantee service according to Longines Watch Co. Francillon Ltd's standards.

- * Longines Watch Co. Francillon Ltd,
CH-2610 Saint-Imier, Switzerland.
LONGINES® is a registered trademark.

CHECKS / SERVICES:**How often should my watch be checked?**

We recommend that your watch's water-resistance be checked every year (partial service with movement check).

How often should my watch be serviced?

Like any other precision instrument a watch should be serviced regularly to ensure that it runs perfectly. We cannot say how often you should have your watch serviced as this depends on the model, the climate where you live and how you look after the watch yourself. As a rule, a watch should be serviced every 4 or 5 years, depending on the conditions in which it is worn.

Where should I go to get my watch serviced or for a new battery?

We recommend that you go to an approved LONGINES agent or retailer. They are the only people who have the necessary tools and apparatus to work on your watch and to carry out the necessary checks to a professional level. Moreover, only specialists can guarantee that their work meets the stringent quality standards set by LONGINES.

What can I do to ensure that my LONGINES watch functions perfectly for many years?

Magnetic fields: avoid putting your watch on a loud-speaker or on a refrigerator because these machines create magnetic fields that may damage it.

Salt-water: always rinse your watch in fresh water after swimming in the sea.

Shocks: avoid subjecting your watch to shocks, including sudden changes in temperature.

Screw-in crown: always make sure you have screwed the crown in fully to avoid any humidity getting into the mechanism.

Push-in crown: always push the crown back in to the neutral position to avoid any humidity getting into the mechanism.

Cleaning: use a toothbrush and soapy water to clean metal bracelets and water-resistant cases and a soft cloth to dry off afterwards.

Chemical products: avoid all direct contact with solvents, detergents, perfume, cosmetics, etc. which may damage the bracelet or strap, the case or the seals.

Temperatures: avoid exposing your watch to extreme temperatures (over 60°C or 140°F and under 0°C or 32°F) and to sudden fluctuations in temperature.

Water-resistance: we cannot guarantee that your watch will be permanently water-resistant. The seal may be affected by wear or by an accidental shock to the crown. As recommended in our service instructions, you should have the water-resistant seals of your watch tested once a year by an approved LONGINES agent.

Chronograph push-pieces: do not adjust the push-pieces under water as this may allow humidity to get into the mechanism.

TOLERANCES / WINDING

Mechanical movements

The precision of a mechanical movement varies depending on the wearer's habits. The majority of LONGINES watches have a precision of between -5 and +15 seconds per day.

Winding (crown pushed right in)

The natural movements of your wrist will automatically wind your Longines watch, which has a power reserve of several dozen hours (**see table of equivalents on p. 50-51**). It is only necessary to wind it manually if your watch/chronograph has not been worn for several days.

Occasional winding: if your watch has not been worn for one day or more, wind it manually with the crown in position 1.

Quartz movements

The ambient temperature affects the precision of a quartz movement, which will be between -0.3 and $+0.5$ second per day.

If you have a **quartz** watch the electrical power is supplied by a battery. After 12 to 18 months of use (with the exception of watches with lithium batteries) the voltage in the battery may drop suddenly and cause your watch to stop. Some models have a battery end-of-life function. The seconds hand will start to jump every 4 seconds. If this happens we recommend that you replace the battery immediately, because once the battery runs down totally it may damage your watch.

Collection and treatment of end of life quartz watches*

This symbol indicates that this product should not be disposed with household waste. It has to be returned to a local authorised collection system. By following this procedure you will contribute to the protection of the environment and human health. The recycling of the materials will help to conserve natural resources.



**Valid in the EU member states and in any countries with corresponding legislation.*

Replacing the battery

We recommend that you contact an approved LONGINES service centre or authorised LONGINES retailer, as they are equipped with the tools and apparatus required to carry out the work and the necessary checks in a professional manner. A worn-out battery should be replaced immediately in order to reduce the risk of leakage and consequent damage to the movement.

Battery type

Button-type zinc-silver oxide primary battery cell.

* Only calibres with more than 3 hands and the date. For other calibres, see pages 58-59
















Ref.	Calibre*	Collection	Power reserve	Page
L2.503.	L600	The Longines Master Collection	42h	69
L2.601.	L614	The Lindbergh Hour Angle Watch	42h	66
L2.629.	L651	The Longines Master Collection	42h	77
L2.631.	L635	The Longines Master Collection	38h	62
L2.643.	L650	Longines evidenza	42h	77
L2.648.	L607	The Longines Master Collection	42h	60
L2.666.	L693	The Longines Master Collection	48h	61
L2.669.	L651	The Longines Master Collection	42h	77
L2.673.	L678	The Longines Master Collection	48h	82
L2.678.	L699	The Lindbergh Hour Angle Watch	46h	66
L2.693.	L696	The Longines Master Collection	46h	80
L2.708.	L602	The Longines Master Collection	42h	61
L2.713.	L699	The Longines Weems Second-Setting Watch	46h	68
L2.714.	L697	The Longines Master Collection	46h	70
L2.715.	L698	The Longines Master Collection	46h	70
L2.716.	L697	The Longines Master Collection	46h	70
L2.717.	L698	The Longines Master Collection	46h	70
L2.718.	L704.2	The Longines Master Collection	48h	64
L2.730.	L705	Longines Lindbergh's Atlantic Voyage Watch	46h	81
L2.733.	L688	The Longines Column-Wheel Chronograph	54h	79
L2.738.	L707	The Longines Master Collection	46h	71
L2.739.	L707	The Longines Master Collection	46h	71
L2.742.	L688	The Longines Column-Wheel Chronograph	54h	79
L2.743.	L688	Conquest	54h	79
L2.744.	L688	Conquest	54h	79
L2.745.	L683	Longines Heritage 1951	48h	79
L2.747.	L674	Longines Heritage 1954	48h	78
L2.749.	L688	The Longines Column-Wheel Chronograph	54h	79

The reference number of your watch is engraved on the case-back.

* Only calibres with more than 3 hands and the date. For other calibres, see pages 58-59

Ref.	Calibre*	Collection	Power reserve	Page
L2.750.	L688	The Longines Column-Wheel Chronograph	54h	79
L2.751.	L704.3	Longines Twenty-Four Hours	48h	64
L2.752.	L688	The Longines Saint-Imier Collection	54h	79
L2.753.	L688	The Longines Saint-Imier Collection	54h	79
L2.755.	L636	The Longines Master Collection	38h	60
L2.759.	L688	The Longines Master Collection	54h	79
L2.764.	L707	The Longines Saint-Imier Collection	46h	71
L2.768.	L688	Longines Heritage 1942	54h	79
L2.773.	L678	The Longines Master Collection	48h	82
L2.774.	L788	The Longines Column-Wheel Single Push-Piece Chronograph 180 th Anniversary*	54h	81
L2.775.	L788	The Longines Column-Wheel Single Push-Piece Chronograph 180 th Anniversary	54h	81
L2.776.	L788	The Longines Column-Wheel Single Push-Piece Chronograph 180 th Anniversary	54h	81
L2.779.	L788	The Longines Avigation Watch Type A-7	54h	81
L2.780.	L688	The Longines Telemeter Chronograph	54h	79
L2.781.	L688	The Longines Tachymeter Chronograph	54h	79
L3.279.	L538	Conquest	QUARTZ	75
L3.643.	L541	HydroConquest	QUARTZ	75
L3.644.	L667	HydroConquest	48h	78
L3.660.	L541	Conquest	QUARTZ	75
L3.674.	L633-Diver	The Longines Legend Diver Watch	38h	65
L3.687.	L704.2	Conquest	48h	64
L4.754.	L688-Vernier	The Longines Column-Wheel Chronograph Record	54h	80
L4.796.	L683	Flagship Heritage	48h	79
L4.797.	L698	Longines Heritage Retrograde	46h	70
L4.799.	L636	Flagship	38h	60
L4.803.	L688	Flagship	54h	79





The reference number of your watch is engraved on the case-back.

	Caliber
	Reference
	Battery end-of-life
	Distance between lugs
	Convention on International Trade in Endangered Species of Wild Fauna and Flora
	Transparent case-back
	Transparent case-back with back cover
	Screwed case-back
	Screwed crown
	Single push-piece crown
	Rotating bezel
	Tachymetric scale
	Adjustment point
	Number and carat weight of Top Wesselton VS diamonds
	Number and carat weight of Top Wesselton VS or SI diamonds
	Mother-of-Pearl Dial
	Superluminova
	Deployment buckle

Movement








	Quartz
	Automatic
	Column-wheel movement
	Manually wound

Water-resistance






	Water-resistant to 3 bar (30 m)*
	Water-resistant to 5 bar (50 m)*
	Water-resistant to 10 bar (100 m)*
	Water-resistant to 30 bar (300 m)*

* The values given in meters for the water-resistance are equivalent to the degree of superpressure applied under the ISO 2281 norm.

Case material

	Stainless steel
	Gold 18K
	PVD
	Stainless steel / PVD
	Stainless steel / Gold 18K
	Stainless steel / Ceramic
	PL GE

Glass

	PMMA HT (Polymethyl methacrylate)
	Mineral
	Sapphire crystal
	Sapphire crystal with one layer of anti-reflection coating on the inside
	Sapphire crystal with several layers of anti-reflection coating on the inside

Size of the case

	New Moon ●	First Quarter ☾	Full Moon ○	Last Quarter ☾
2013	13 December 2012 11 January 10 February 11 March 10 April 10 May 8 June 8 July 6 August 5 September 5 October 3 November 3 December	20 December 2012 18 January 17 February 19 March 18 April 18 May 16 June 16 July 14 August 12 September 11 October 10 November 9 December	28 December 2012 27 January 25 February 27 March 25 April 25 May 23 June 22 July 21 August 19 September 18 October 17 November 17 December	5 January 2013 3 February 4 March 3 April 2 May 31 May 30 June 29 July 28 August 27 September 26 October 25 November 25 December
2014	1 January 2014 30 January 1 March 30 March 29 April 28 May 27 June 26 July 25 August 24 September 23 October 22 November	8 January 2014 6 February 8 March 7 April 7 May 5 June 5 July 4 August 2 September 1 October 31 October 29 November	16 January 2014 14 February 16 March 15 April 14 May 13 June 12 July 10 August 9 September 8 October 6 November 6 December	24 January 2014 22 February 24 March 22 April 21 May 19 June 19 July 17 August 16 September 15 October 14 November 14 December
2015	22 December 2014 20 January 18 February 20 March 18 April 18 May 16 June 16 July 14 August 13 September 13 October 11 November	28 December 2014 27 January 25 February 27 March 25 April 25 May 24 June 24 July 22 August 21 September 20 October 19 November	5 January 2015 3 February 5 March 4 April 4 May 2 June 2 July 31 July 29 August 28 September 27 October 25 November	13 January 2015 12 February 13 March 12 April 11 May 9 June 8 July 7 August 5 September 4 October 3 November 3 December
2016	11 December 2015 10 January 8 February 9 March	18 December 2015 16 January 15 February 15 March	25 December 2015 24 January 22 February 23 March	2 January 2016 1 February 1 March 31 March


- Excellent resistance to water and wear
- Superb mechanical properties
- Very good resistance to aggressive and extreme environments




1. Detach the two covers over the clasp by pressing on the bars.



2. Measure the circumference of your wrist by wrapping the strap round it. Half the number of holes that overlap indicates the length that suits your wrist.



Example: half resulting in an even number: 8 overlapping holes, half of 8 is 4, remove 2 holes on each section.
Half resulting in a odd number: 14 overlapping holes, half of 14 is 7, remove 4 holes on the section of the strap at 12 o'clock and 3 holes on the section at 6 o'clock.




3. Cut along the corresponding graduations.

- Incomparable suppleness and softness to the touch
- Hi-tech product
- Top-range quality
- Hand-finished




4. Reinsert the bars in the two sections of the strap.



5. Attach the sections to the clasp so that the graduations are on the inside, i.e. against your skin, insert the bars in the holes closest to the centre of the clasp.



6. Try your watch on.



7. For the final adjustment, move the bar to one of the holes in the clasp.
If the strap is too long, you can remove another hole.


We recommend that, if necessary, you have the length of your strap adjusted by a Longines agent.

We recommend that you wash your rubber strap regularly with soap and water, especially on the inside.

Adjusting the clasp



1. Release the adjusting mechanism by removing the pin from the hole in the long section of the strap.



2. Slide the mechanism along this long section and then fix it by reinserting the pin in the desired hole.

Closing the clasp




5. Put the bracelet on your wrist and slide the long section through the small fixed buckle.



6. Close the folding clasp until it clicks into place. If necessary, slide the long section through the small mobile buckle.

Opening the clasp



3. To open the clasp press in the push-pieces on either side simultaneously.



4. Open the clasp to enlarge the bracelet and remove the watch from your wrist.

Longines bows to the paragon of beauty: the diamond


This certificate of authenticity guarantees the quality of each precious stone selected by Longines' specialists.

The cut: Longines diamonds are cut in the traditional brilliant style.

The purity: the degree of purity of a Longines diamond is VVS (very very small inclusions). This means that it may include minute imperfections which are hardly visible under tenfold magnification (VVS).

The colour: the colour of the diamonds used by Longines is Top Wesselton.

The weight: the weight of a diamond is measured in carats, one carat being equal to one fifth of a gram.






Precautions regarding water-resistance

If your watch is water-resistant it is essential that the seals be checked each year before the bathing season because, without your realising it, they might have been damaged as the result of a shock.

If the case has to be opened for any reason, the seals for the glass and the case-back as well as the crown (and/or push-pieces) must be checked and, if necessary, replaced.



Screw-in crown and push-pieces

Certain Longines models have a screw-in crown which has to be unscrewed before each adjustment by turning it anti-clockwise (fig. ①).

After use, return the crown to position 2, then push in and screw in firmly in position 1 to ensure that the seal with the case is water-resistant (fig. ②).

IMPORTANT ! You should always push the crown (and/or the push-pieces) right in and screw in firmly to ensure a water-resistant seal with the case. The crown (and/or push-pieces) should never be adjusted if the watch is in a humid atmosphere.




Model with Hour and Minute Hands**2-position crown**

Applies to all watches that do not feature in the table of equivalents on pages 50-51.

**Adjusting the time**

Pull the crown right out to position **2**. Adjust the hands by turning the crown in either direction. Push the crown back in to position **1**.

**Model with Hour, Minute Hands and Date****3-position crown**


Applies to all watches that do not feature in the table of equivalents on pages 50-51.

**Adjusting the time**

Pull the crown right out to position **3**. Adjust the hands by turning the crown in either direction. Push the crown back in to position **1**.

Quick date adjustment (standard)

Pull the crown out to the intermediate position **2**. Adjust the date by turning the crown **forwards** (clockwise), then push the crown back in again to position **1**. It is necessary to adjust the date after each month with less than 31 days.



Model with Hour, Minute, Seconds hands and Date

3-position crown

Applies to all watches that do not feature in the table of equivalents on pages 50-51.



Adjusting the time and stop seconds (standard)

To synchronise the watch with the official time signal (radio, telephone, etc.), pull the crown to its furthest position **3**, at the moment when the small seconds hand is at 60, then push the crown back in again to position **1** at the time signal. The calendar changes every time the hour hand passes midnight.

Quick date adjustment (standard)

Pull the crown out to the intermediate position **2**. Adjust the date by turning the crown **forwards** (clockwise), then push the crown back in again to position **1**. It is necessary to adjust the date after each month with less than 31 days.

Power-reserve indicator



Certain watches have a power-reserve indicator (calibres L602, L693, L697).

If the watch is worn rarely or not at all, the hand will gradually shift anti-clockwise. When it indicates that the power-reserve is below 1/4, the watch should either be wound or worn to avoid it stopping.

When the watch is wound the power-reserve indicator will shift clockwise.

**L607**

Shows the hours, minutes, seconds and date.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment

(See page 59)

**L636**

Shows the hours, minutes, seconds, date and day.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date and day adjustment

Pull the crown out to the intermediate position **2**. Turn it **forwards** (clockwise) to adjust the date, **backwards** to change the day, and then push it back in again to position **1**. It is necessary to adjust the date after each month with less than 31 days.

**L602**

Shows the hours, minutes, seconds and date, as well as the power-reserve.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment

(See page 59)

**L693**

Shows the hours, minutes, seconds and date, as well as the power-reserve.


3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment

Pull the crown out to the intermediate position **2**. Adjust the time by turning the crown **forwards**. Push the crown back in to position **1**. It is necessary to adjust the date after each month with less than 31 days.



L635

24 time zones

Shows the hours, minutes, seconds and date, as well as the time in the 24 time zones where there is a reference point (Longines patent no. 02266/92-3).

3-position crown

Adjusting the time and stop seconds

Pull the crown right out to position **3**. The seconds hand will now stop. Adjust the time by turning the crown in either direction. When the crown is turned the 24-hour disc also turns. Synchronise your watch with a time signal (telephone, radio, TV) and then push the crown back in to position **1**.

Adjusting the time zone and the date

Pull the crown out to the intermediate position **2**. Turn the crown forwards or backwards to adjust the hour hand in the corresponding direction by successive jumps of one hour, which will not affect the minute or seconds hands.

When the hour hand passes midnight, the date will change automatically, indicating either the next day or the day before, depending on the direction you turn the crown. It is necessary to adjust the date at the end of each month with less than 31 days. Push the crown back in to position **1**.



How to use your Longines 24 time zone watch

Pull the crown right out to position **3**. The seconds hand will now stop.

Turn the crown in either direction so that your local time (winter time) is displayed on the 24-hour disc opposite the town in the time zone where you are.

Push the crown back in to the intermediate position **2** and adjust the hour hand to local time, checking that the date jumps at midnight. Push the crown back in to position **1**.

Your watch now shows universal time on the 24-hour disc and local time by the hands.

Example: 23 February, Paris, GMT (London) is at 12 o'clock, the hands show 10 hours and 8 minutes and on the disc the 10 is opposite Paris.



How to use when travelling

Pull the crown out to the intermediate position **2**.

Adjust the hour hand to correspond to the time zone of the town where you are (see table of towns).

Push the crown back in to position **1**.

Certain countries have summer time; to adjust your watch, carry out the same procedure.

Example: 23 February, Tokyo, GMT (London) is at 12 o'clock, the hands show 18 hours and 8 minutes and on the disc the 10 is opposite Paris: this means that it is 10.08 a.m. in Paris.



L704.2
24 hours, 2 time zones

Shows the hours, minutes, seconds and date, as well as a second time zone.

3-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

Pull the crown out to the intermediate position **2**. Turn the crown **forwards** until the desired date is shown, then push the crown back in to position **1**. It is necessary to adjust the date after each month with less than 31 days.

Adjusting the time in a second time zone (24-hour hand) when travelling

Pull the crown out to the intermediate position **2**. Adjust the 24-hour hand to correspond to the time zone where you are by turning the crown **backwards**. Push the crown back in to position **1**.



L704.3
Longines Twenty-Four Hours

Shows the hours, minutes, seconds and date.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment

Pull the crown out to the intermediate position **2**. Turn the crown **forwards** until the desired date is shown, then push the crown back in to position **1**. It is necessary to adjust the date after each month with less than 31 days.



**L633-Diver
Date**


Your **Longines Legend Diver Watch** has 2 crowns, **A** and **DIVER**, which can be used for specific functions (fig. ①).

Shows the hours, minutes, seconds and date and also enables the user to check his or her diving time.

Crown **A**: 3 positions

Adjusting the time and stop seconds

Unscrew crown **A** and pull it out to position **3**. The seconds hand will now stop. Adjust the time by turning the crown in either direction. Synchronise your watch with a time signal (telephone, radio, TV) and then push the crown **A** back in to position **1**, and screw in firmly.



Adjusting the date

Unscrew crown **A** and pull it out to the intermediate position **2**. Turn it forwards until it shows the desired date. Push crown **A** back in to position **1** and screw in firmly.

DIVER screw-in crown

Verifying your diving time

Unscrew the **DIVER** crown. When you start diving turn the rotating bidirectional ring to adjust the needle to the minute hand. Push the crown back in again and then screw in firmly (fig. ②).

You can read off your diving time from the minute hand on the graduations of the rotating bidirectional ring (fig. ③). **The example shows: 15 minutes diving time.**



L614 / L699-Lindbergh

The original Lindbergh Hour Angle Watch was designed by Charles Lindbergh as a navigational aid for pilots. Used with a sextant and a nautical almanac, this watch enables the wearer to quickly determine the hour angle from Greenwich, in other words his or her longitude.

Thanks to its ingenious combination of dials, this time-piece differs from an ordinary watch in three ways:

A The indications on the dial are designed in such a way that they show simultaneously the time (in hours, minutes and seconds) and the hour angle (in degrees and minutes of arc).

B The rotating central dial shows the seconds and it can be turned using the crown in order to synchronise the watch with a time signal.

C The bezel can be rotated to correct the equation of time (which varies from one day to the next).

3-position crown

Adjusting the time and stop seconds

(See page 59)

Synchronising the watch with a time signal

In the intermediate position **2**, the crown can be used to turn the central dial (in either direction). Pull the crown out to the intermediate position **2** and turn the central dial so that the seconds hand points to the "60/15" position on the last pip of the time signal. Push the crown back in to position **1**.

Push-piece **D** at 4 o'clock

This is for opening the case back, thus revealing the movement through a protective sapphire glass.

The space/time dial and how it works

The design of the whole of The Lindbergh Hour Angle Watch takes into account the fact that the Earth revolves through 360° in 24 hours, through 180° in 12 hours, through 15° in 1 hour and through 15' of arc in 1 minute.

Consequently:

The hour hand indicates 15° per hour. One complete circle of the dial (12 hours) is equivalent to 180°.

The minute hand indicates 1° per 4', in other words 15° per hour. Each of the 15° is subdivided into four sectors of 15' of arc. All these indications are engraved on the rotating bezel.

One complete circle of the centre seconds is equivalent to 15' of arc. The rotating central dial is divided into 60'' and 15' of arc.




How to use your Lindbergh Hour Angle Watch

Having synchronised your watch with a time signal. As an example when you check it your watch shows 4 hours, 37 minutes and 12 seconds. The equation of time for the day in question is minus 4 minutes and 50 seconds.

Therefore move the marker situated at "15" on the bezel 4 graduations to the left. These graduations represent the minutes engraved around the case.

Your data are as follows:

Seconds hand (centre dial)		3'
Minute hand (bezel)	10°	15'
Hour hand (main dial)	60°	
As you have only turned the bezel by 4 minutes, you still have to take into account the 50 seconds (the equation of time being 4 minutes and 50 seconds for the day in question).		
On the central dial, the 50 is opposite 12½	. / .	12½'
Greenwich hour angle of the sun (your longitude)	70°	5½'

**L699-Weems**

Shows the hours, minutes and seconds. The central rotating dial indicates the seconds; it can be adjusted to synchronise the watch with a time signal using the crown, without affecting the seconds, minutes and hours.

3-position crown

Adjusting the time and stop seconds


(See page 59)

Synchronising the watch with a time signal

In the intermediate position **2**, the crown can be used to turn the central dial (in either direction). Pull the crown out to the intermediate position **2** and turn the central dial so that the seconds hand points to the "60" position on the last pip of the time signal. Push the crown back in to position **1**.

Push-piece **A**

This is for opening the case back thus revealing the movement through a protective sapphire glass.



L600 Phases of the Moon

Shows the hours, minutes, seconds, date, day, month and the phases of the Moon.

2-position crown

Adjusting the time and stop seconds

(See page 59)

Adjusting the 31-day date hand **B**

Using the soft-pointed instrument provided by Longines, press the push-piece **B** until the date hand is positioned on the desired date. It is necessary to adjust the date at the end of each month with less than 31 days.

Adjusting the month **A**

Using the soft-pointed instrument provided by Longines, press the push-piece **A** until the desired month is displayed.

IMPORTANT! Avoid adjusting your watch between 9 p.m. and 3 a.m. as well as adjusting the phases of the Moon using the push-piece for that purpose between 3 p.m. and 5 p.m. as doing so may damage the mechanism.




Adjusting the day **D**

Using the soft-pointed instrument, press the push-piece **D** to obtain the exact day.

Adjusting the phases of the Moon **C**

Using the soft-pointed instrument provided by Longines, press the push-piece until a full Moon appears in the centre of the phases of the Moon aperture. Determine the date of the last full Moon from a calendar that contains such information*. Press the push-piece again once for each day since the last full Moon.

* See *Table of lunar months* on page 53.




L697
3X Retrograde

Shows the hours, minutes, seconds and power-reserve with a retrograde display of the day, date and time in a second time zone.

3-position crown (L697 - 698 - 707)

The crown can be used not only to adjust the hour, minute and seconds hands but also interdependently the day, date and time in a second time zone.

The power-reserve indicator (L697) will shift automatically when the watch is wound manually or by the movements of your wrist.



L698
4X Retrograde

Shows the hours and minutes and has a retrograde seconds aperture, day, date and second time zone.

Adjusting the time and stop seconds (L697 - 698 - 707)

To synchronise the watch with the official time signal (radio, telephone, etc.), pull the crown to its furthest position **3**, at the moment when the small seconds hand is at 60, then push the crown back in again to position **1** at the time signal. The calendar changes every time the hour hand passes midnight.

This adjustment will also affect the time in a second time zone, as well as the day and date each time the hand passes midnight, the adjustment being effected when the crown is pushed back in to position **1**. The day, date and 24-hour time zone indicators are excluded from the retrograde sectors when the crown is pulled out to position **3**.



L707 4X Retrograde

Shows the hours and minutes, small seconds in a retrograde display, the day, the date and the time in a second time zone, together with Moon-phase and day/night indications.

Quick time adjustment (L697 - 698 - 707)

Pull the crown out to the intermediate position **2**. Turn it in either direction. The hour hand will jump forwards by 1 hour at a time without affecting the minute or seconds hands. Then push the crown back in to position **1**. This adjustment will also affect the day and date each time the hand passes midnight, the adjustment being effected when the crown is pushed back in to position **1**. The day, date and 24-hour time zone indicators are excluded from the retrograde sectors when the crown is pulled out to position **2**.

Adjusting the time (a.m./p.m.) (L697 - 698 - 707)

The dial is divided into 12 hours. The date and the day of the week change only once every 24 hours (each time the hour hand completes two circles of the dial). In order to ensure that the date and day change at midnight, please follow the instructions below before changing the date and the day of the week.

Note the day of the week indicated on the dial.

Pull the crown out to position **2 (Quick time adjustment)** and turn it clockwise until the hour hand has completed one circle.


Push the crown back in to position **1 (Winding)**.

Check that the day of the week has changed.

If so, the watch will now indicate morning (a.m.). If the watch indicates morning but it is in fact afternoon pull the crown out to position **2 (Quick time adjustment)** and turn it until the hour hand has completed one circle.

If, however, the day of the week has not changed, the watch will indicate afternoon (p.m.). If the watch indicates afternoon but it is in fact morning pull the crown out to position **2 (Quick time adjustment)** and turn it until the hour hand has completed one circle.

Push the crown back in to position **1 (Winding)**.



IMPORTANT! You will not see any changes on the dial when using the crown in positions 2 and 3.


24-hour indicator: if you do not wish to use the **Second time zone** function you can convert it into a 24-hour indicator. This will enable you to avoid this step in the future. See under: **Synchronising the time in a second time zone / 24-hour indicator.**

The functions of the 3 push-pieces (L697 - 698 - 707)

The 3 push-pieces can be used when the crown is in any position.

Adjusting the day of the week

Press push-piece **A** to adjust the day of the week.



IMPORTANT! Do not change the date or use the push-pieces **A (for the day) or **B** (for the date) between 9 p.m. and 3 a.m. as doing so may damage the mechanism.**

Adjusting the date

Press push-piece **B** to adjust the date.

Adjusting the time in the second time zone (24-hour hand)

Press push-piece **C** to adjust the time in the second time zone by successive steps of 1 hour, which will not affect the minute and seconds hands.

Example: you are on Geneva time (home) and it is 8 a.m. You know that there is an 8-hour difference between Switzerland and Japan.

Option a: you leave your watch on Geneva time and date. You press push-piece **C** to adjust the time in the second time zone so that the 24-hour hand is on 16 (4 p.m. Japanese time).

Option b: you travel to Japan and want your watch to show Japanese time and date. You adjust the time by turning the crown (in position **2**) clockwise so that the 24-hour hand is on the 4 (4 p.m. Japanese time). Then push the crown back in. The time shown in the second time zone will stay at 8 a.m. (Geneva time: home).

Option a



Option b

**Moon-phase correction (L707)**

Press corrector **D** until the full Moon appears in the centre of the Moon-phase display. Calculate the date of the last full Moon using the table on page 53 and press corrector **D** again as many times as the number of days that have passed since the last full Moon. Do not correct the Moon-phase between 3 p.m. and 6 p.m. as this function is not active during this period.

Synchronising the time in the second time zone / the 24-hour hand (L697 - 698 - 707)

To synchronise the time in the second time zone with the actual time where you are, use push-piece **C**. If the watch stops you will immediately see from the time in the second time zone whether your watch is showing morning (a.m.) or afternoon (p.m.).

Please note that if you use the **Quick time adjustment** function (crown in position **2**), the synchronisation will be interrupted.

THE CHRONOGRAPH

The chronograph is an instrument for measuring short periods of time. It is used mainly in sport but also in aviation or for scientific experiments, for example.



The Column-Wheel

The column-wheel movement is reputed for the feeling of crisp efficiency its handling provides. In particular, the instant responsiveness of its pushpieces adds to the pleasure of using the chronograph.



Tachometric scale

Chronograph fitted with a scale allowing speed to be read in kph.

Measure the time needed to cover 1 kilometre (or 1 mile). The position of the seconds hand when it stops indicates the mean speed. If it takes 30 seconds to cover 1 km (or 1 mile), the scale will indicate a mean speed of 120 kph (or 120 mph).



Telemetric scale

Chronograph whose dial is fitted with a telemetric scale allowing the distance separating an event from the place of observation to be known through the speed of sound.

Chronographs standard functions

Standard Start-Stop function
Add Rally function (partial times)

Standard Start-Stop function

Used for timing a single event:

Press push-piece **A**: to **start** the chronograph.

Press push-piece **A**: to **stop** the chronograph.

Press push-piece **B** to return to zero.

Add Rally function (partial times)

Used for measuring successive events but not the intervals between them. Each result is automatically added to the preceding one. To time the different stages of a car rally, for example:

At the start of the first stage, press push-piece **A** to **start** the chronograph.

At the end of the first stage, press push-piece **A** again and the chronograph will **stop**.


Repeat this procedure for each stage of the rally.

At the end of the final stage the chronograph will show the total time of the rally, in other words, the accumulated time for all the stages.


Press push-piece **B** to return to zero.



IMPORTANT! The time should not be adjusted while the chronograph function is being used.



L538



L541

Longines' quartz chronographs fitted with calibre L538 or L541 show the hours, minutes, seconds and date.

As far as the chronograph functions are concerned, these models can be used to time events that last up to 30 minutes (cal. L538) or 12 hours (cal. L541), and show the results to a 1/10th of a second.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Changing the time zone and the date

Pull the crown out to the intermediate position **2**. The hour hand can be moved in either direction without affecting the minute and seconds hands. Turn the crown until the desired date appears. The date changes at midnight. Push the crown back in to position **1**.

Chronograph standard functions

(See page 74)



IMPORTANT! Do not leave the crown in the intermediate position **2** for longer than 20 minutes as this may affect the time function.

Split function (intermediate times)

This function is used to time one single event. Intermediate times are accumulated throughout the event.

IMPORTANT! While the watch displays an intermediate time the chronograph function will still be timing the event.

Press push-piece **A** at the start of the event you wish to time, for example a walking race.

Press push-piece **B** to see the first intermediate time.

Press push-piece **B** again and the chronograph hands will jump to the correct time since the start of the race.

Repeat this procedure, pressing push-piece **B** once to see the second intermediate time and again to make the chronograph hands jump to the current time.

At the end of the race, press push-piece **A** to see the total time for the race.

Press push-piece **B** to return to zero.

NB: the split function/intermediate times can also be used to record consecutively the times of various competitors as they finish a race.

Return to zero

If for any reason the chronograph hands do not return exactly to zero, take the following action:

L538

Chronograph 30-minute counter:

With the crown in position **2**, press push-piece **A**.

Chronograph 60-second counter:

With the crown in position **3**, press push-piece **A**.

Chronograph 1/10th of a second counter:

With the crown in position **3**, press push-piece **B**.

L541

Chronograph 12-hour counter:

With the crown in position **2**, press push-piece **A**.

Chronograph 60-minute counter:


With the crown in position **2**, press push-piece **B**.

Chronograph 60-second counter:

With the crown in position **3**, press push-piece **A**.

Chronograph 1/10th of a second counter:

With the crown in position **3**, press push-piece **B**.



L650

Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

3-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

(See page 59)

Chronograph standard functions

(See page 74)



L651

Shows the hours, minutes, seconds and date. Can be used to time events that last up to 30 minutes, the results being shown to 1/5th of a second.

3-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

(See page 59)

Chronograph standard functions

(See page 74)



Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

3-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

Pull the crown out to the intermediate position **2**. Adjust the date by turning the crown **forwards**. Push the crown back in again to position **1**. It is necessary to adjust the date after each month with less than 31 days.

Chronograph standard functions

(See page 74)



Shows the hours, minutes, seconds, date and day. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Adjusting the date and the day


Pull the crown out to the intermediate position **2**, turn it **forwards** (clockwise) to adjust the date, **backwards** to change the day, and then push it back in again to position **1**. It is necessary to adjust the date after each month with less than 31 days.

Chronograph standard functions

(See page 74)

Tachometric scale

(See page 74)

**L683**

Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

2-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

Push-piece **C** for adjusting the date is at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions

(See page 74)

**L688**
Column-Wheel

Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

2-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

Push-piece **C** for adjusting the date is at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions

(See page 74)



Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

Its red central trotteuse is equipped with a vernier scale that, used together with a fixed scale on the dial, facilitates analogical reading to the nearest eighth of a second.

2-position crown


Adjusting the time and stop seconds

(See page 59)

Quick date adjustment

Push-piece **C** for adjusting the date is at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions (See page 74)



Shows the hours, minutes, seconds and date. Can be used to time events that last up to 12 hours, the results being shown to 1/5th of a second.

2-position crown

Adjusting the time and stop seconds


(See page 59)

Quick date adjustment

Push-piece **C** for adjusting the date is at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions

(See page 74)



Shows the hours, minutes, seconds and date. Can be used to time events that last up to 30 minutes, the results being shown to 1/5th of a second.

2-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment


Push-piece **C** for adjusting the date is at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions

(See page 74)

Tachometric scale

(See page 74)



Shows the hours, minutes, seconds and date. Can be used to time events that last up to 30 minutes, the results being shown to 1/5th of a second.

2-position crown

Adjusting the time and stop seconds

(See page 59)

Quick date adjustment


Push-piece **C** for adjusting the date is at 7 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact date. It is necessary to adjust the date at the end of each month with less than 31 days.

Chronograph standard functions

(See page 74)

Tachometric scale

(See page 74)



L678 Phases of the Moon

Shows the hours, minutes, seconds, day, month, date and phases of the Moon. Can be used to time events lasting up to 12 hours, showing the result to 1/5th of a second.

3-position crown

Adjusting the time and stop seconds

(See page 59)

Quick adjustment of the date and month

Pull the crown right out to position **2** and turn it **backwards** to adjust the date and month. Then push it back in to position **1**. It is necessary to adjust the date at the end of each month with less than 31 days.

Adjusting the phases of the Moon

Pull the crown out to the intermediate position **2** and turn it **forwards** to adjust the phase of the Moon until the full Moon appears at the centre of the phases of

the Moon aperture. Determine the date of the last full Moon using a diary or calendar indicating the dates of the full Moon*. Turn the crown forwards again to the position indicated on the table of lunar months.

* See *table of lunar months on page 53*.

IMPORTANT! The date and the phases of the Moon should not be adjusted between 7 p.m. and 6 a.m. as doing so may damage the mechanism.

Adjusting the day of the week

Push-piece **C** for adjusting the day of the week is situated at 10 o'clock. Using the soft-pointed instrument provided by Longines, press the push-piece to obtain the exact day.

Chronograph standard functions

(See page 74)